

## AVAPL 2009 TBI: References

- Alexander, M.P. (1995). Mild traumatic brain injury: pathophysiology, natural history, and clinical management. *Neurology*, 45(7), 1253-1260.
- American Congress of Rehabilitation Medicine. (1993). Definition of mild traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 8, 86-7.
- Burnett, D.M., Silver, T.M., Kolakowsky-Hayner, S.A. & Sifu, D.X. (2000). Functional outcome for African Americans and Hispanics treated at a traumatic brain injury model systems centre. *Brain Injury*, 14, 713-718.
- Corrigan, J.D. (1995). Substance abuse as a mediating factor in outcome from traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 76, 302-309.
- Corrigan, J.D., Bogner, J.A. & Lamb-Hart, G. (1999). Substance abuse and brain injury. In M. Rosenthal, E.R. Griffith, J.S. Kreutzer & B. Pentland (Eds.), *Rehabilitation of the adult and child with traumatic brain injury* (3<sup>rd</sup> ed., pp. 556-571). Philadelphia: F.A. Davis Co.
- Dikmen, S.S., Machamer, J.E., Donovan, D.M., Winn, H.R. & Temkin, N.R. (1995). Alcohol use before and after traumatic head injury. *Annals of Emergency Medicine*, 26, 167-176.
- Finkelstein E.A., Corso P.S. & Miller T.R. (2006). *The Incidence and Economic Burden of Injuries in the United States*. New York (NY): Oxford University Press.
- French, L.M. & Parkinson, G.W. (2008). Assessing and treating veterans with traumatic brain injury. *Journal of Clinical Psychology: In Session*, 64(8), 1004-1013.
- Hibbard, M.R., Uysal, S., Kepler, K., Bogdany, J. & Silver, J. (1998). Axis I psychopathology in individuals with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 13, 24-39.
- Hoge, C. W., McGurk, D., Thomas, J.L., Cox, A.L., Engel, C.C. & Castro, C.A. (2008). Mild Traumatic Brain Injury in U.S. Soldiers Returning from Iraq. *The New England Journal of Medicine*, 358(5), 453-463.
- Horner, M.D., Ferguson, P.L., Selassie, A.W., Labbate, L.A., Kniele, K & Corrigan, J.D. (2005). Patterns of alcohol use 1 year after traumatic brain injury: A population-based, epidemiological study. *Journal of the International Neuropsychological Society*, 11, 322-330.
- Iverson, G.L. (2005). Outcome from mild traumatic brain injury. *Current Opinion in Psychiatry*, 18(3), 301-317.

- Jones, E., Fear, N.T. & Wessely, S. (2007). Shell shock and mild traumatic brain injury: A historical review. *American Journal of Psychiatry*, 164(11), 1641–1645.
- Kolakowsky-Hayner, S.A., Gourley, E.V., Kreutzer, J.S., Marwitz, J.H., Meade, M.A. & Cifu, D.X. (2002). Post-injury substance abuse among persons with brain injury and persons with spinal cord injury. *Brain Injury*, 16, 583-592.
- Koponen, S., Taiminen, T., Portin, R., Himanen, L., Isoniemi, H., Heinonen, H., Hinkka, S. & Tenovuo, O. (29902). Axis I and II psychiatric disorders after traumatic brain injury: A 30-year follow-up study. *American Journal of Psychiatry*, 159, 1315-1321.
- Kraus, J.F., McArthur, D.L., Silverman, T.A., & Jayaraman, M. (1996). Epidemiology of brain injury. In R.K. Narayan et al. (Eds.), *Neurotrauma*. New York: McGraw-Hill.
- Kreutzer, J.S., Witol, A.D., Sander, A.M. & Cifu, D.X. (1996). A prospective longitudinal multicenter analysis of alcohol use patterns among persons with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 11, 58-69.
- Langlois JA, Rutland-Brown W, Thomas KE. (2004). *Traumatic brain injury in the United States: emergency department visits, hospitalizations, and deaths*. National Center for Injury Prevention and Control. Atlanta (GA): Centers for Disease Control and Prevention.
- Lezak, M.D. (1989). Assessment of psychological dysfunctions resulting from head trauma. In M.D. Lezak (Ed.), *Assessment of the behavioral consequences of head trauma. Frontiers of clinical neuroscience* (Vol. 7). New York: Alan R. Liss.
- Machamer, J.E., Temkin N.R. & Dikmen S.S. (2002) Significant other burden and factors related to it in traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 24(4), 420-433.
- McCrea, M.A. (2008). *Mild Traumatic Brain Injury and Postconcussion Syndrome: The New Evidence Base for Diagnosis and Treatment*. Oxford [Oxfordshire]: Oxford University Press.
- National Institute of Neurological Disorders and Stroke. (2002). *Traumatic brain injury: hope through research*. NIH Publication No.: 02-158. Bethesda (MD): National Institutes of Health.
- Sherer, M., Bergloff, P., High, W. & Nick, T.G. (1999). Contribution of functional ratings to prediction of long-term employment outcome after traumatic brain injury. *Brain Injury*, 13, 973-981.
- Sim, T., Crouse, E., Pawlowski, C., Petska, K., & **Fitzpatrick, P.** (2009, March). Cognitively Modified Approach to Treating PTSD (CMAP). Poster presented at the 2009 Brain Injuries conference by Contemporary Forums, Las Vegas, NV.
- Suhr, J.A. & Gunstad, J. (2005). Further exploration of the effect of "diagnosis threat" on cognitive performance in individuals with mild head injury. *Journal of the International Neuropsychological Society*, 11(1), 23-9.

Teasdale G, & Jennett B. (1974) Assessment of coma and impaired consciousness. A practical scale. *Lancet*, 2, 81-84

Thurman, D., Alverson, C., Dunn, K., Guerrero, J. & Sniezek, J. (1999). Traumatic brain injury in the United States: a public health perspective. *Journal of Head Trauma and Rehabilitation*, 14(6), 602–15.

Vasterling, J.J., Proctor, S.P., Amoroso, P., Kane, R., Heeren, T., & White, F.R. (2006). Neuropsychological outcomes of army personnel following deployment to the Iraq war. *Journal of the American Medical Association*, 296(5), 519-29.